

SUPPLIER/FACTORY	FACTORY DIRECTION	PRODUCT	MATERIAL	REFERENCES (Certificate)	CERTIFICATE	EXPIRY DATE
BASELL POLYOLEFINE GmbH	WESSELING (Alemania)	Black Polyethylene PE 100-RC compound intended for water supply for human consumption	PE 100-RC	<b>TRADEMARK:</b> HOSTALEN CRP100 RESIST CR BLACK <b>TECNICAL CHARACTERISTICS:</b> IF = 0,23 g/10 min ; Densidad / Density = 958 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 007771	22/12/2030
BASELL POLYOLEFINE GmbH	WESSELING (Alemania)	Black Polyethylene PE 100-RC compound intended for water supply for human consumption	PE 100-RC	<b>TRADEMARK:</b> HOSTALEN CRP100 RESIST CR BLACK <b>TECNICAL CHARACTERISTICS:</b> IF = 0,23 g/10 min ; Densidad / Density = 958 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 007325	06/10/2030
BASELL POLYOLEFINE GmbH	WESSELING (Alemania)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> HOSTALEN CRP100 RESIST CR BLACK <b>TECNICAL CHARACTERISTICS:</b> IF = 0,23 g/10 min ; Densidad / Density = 958 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 005136	18/02/2030
BASELL POLYOLEFINE GmbH	WESSELING (Alemania)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> HOSTALEN CRP 100 BLACK <b>TECNICAL CHARACTERISTICS:</b> IF = 0,23 g/10 min ; Densidad / Density = 959 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 003331	01/03/2030
BASELL POLYOLEFINE GmbH	WESSELING (Alemania)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> HOSTALEN CRP100 RCD BLACK <b>TECNICAL CHARACTERISTICS:</b> IF = 0,23 g/10 min ; Densidad / Density = 958 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 007207	16/12/2030
BOREALIS AG // BOREALIS AB	Suecia	Black Polyethylene PE 100-RC compound intended for water supply for human consumption	PE 100-RC	<b>TRADEMARK:</b> BORSAFE HE3490-LS-HW <b>CARACTERISTICAS TECNICAS:</b> IF = 0,22 g/10 min ; Densidad / Density = 957 Kg/m <sup>3</sup> <b>INDICACION DE USO:</b> Espesor de pared / Wallthickness: Todos / All	001 / 007648	18/10/2029
BOREALIS AG // BOREALIS AB	Suecia	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> BORSAFE HE3490-LS <b>TECNICAL CHARACTERISTICS:</b> IF = 0,25 g/10 min ; Densidad / Density = 960 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 004200	21/03/2027
HANWHA TOTALENERGIES PETROCHEMICAL CO., LTD.	SEOSAN-SI (Corea del Sur)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> HANWHA TOTAL HDPE XS10B PE100 BLACK <b>TECNICAL CHARACTERISTICS:</b> IF = 0,28 g/10 min ; Densidad / Density = 959 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 007400	23/06/2027
HYOSUNG TNC CORPORATION // KOREA PETROCHEMICAL IND. CO., LTD.	- NAM-GU, ULSAN (Corea del Sur)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> P600BL <b>TECNICAL CHARACTERISTICS:</b> IF = 0,23 g/10 min ; Densidad / Density = 961 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 007111	06/07/2030
INEOS SERVICES BELGIUM N.V. // INEOS MANUFACTURING BELGIUM, N.V.	ANTWERPEN (Bélgica)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> ELTEX SUPERSTRESS TUB121N6000 <b>TECNICAL CHARACTERISTICS:</b> IF = 0,29 g/10 min ; Densidad / Density = 959 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 007591	25/04/2029
INEOS SERVICES BELGIUM N.V. // INEOS MANUFACTURING BELGIUM, N.V.	ANTWERPEN (Bélgica)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> ELTEX TUB 121 N 3000 <b>TECNICAL CHARACTERISTICS:</b> IF = 0,26 g/10 min ; Densidad = 960 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared: Todos	001 / 006074	20/11/2027
INEOS SERVICES BELGIUM N.V. // INEOS MANUFACTURING BELGIUM, N.V.	ANTWERPEN (Bélgica)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> ELTEX SUPERSTRESS TUB121N9000 <b>TECNICAL CHARACTERISTICS:</b> IF = 0,24 g/10 min ; Densidad / Density = 959 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 006772	08/11/2027
REPSOL MATERIALS, S.A. // REPSOL POLIMEROS, LDA	PT-- SINES (Portugal)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> ALCUDIA T-100-NLS <b>TECNICAL CHARACTERISTICS:</b> NLS IF = 0,27 g/10 min ; Densidad / Density = 962 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 007538	05/04/2026
REPSOL MATERIALS, S.A. // REPSOL POLIMEROS, LDA.	PT-- SINES (Portugal)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> ALCUDIA T-100-NLS <b>TECNICAL CHARACTERISTICS:</b> IF = 0,27 g/10 min ; Densidad / Density = 962 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 006160	05/04/2026
REPSOL MATERIALS, S.A // TRANSFORMADORA DE ETILENO, A.I.E.	TARRAGONA (España)	Black Polyethylene PE 40 compound intended for water supply for human consumption	PE 40	<b>TRADEMARK:</b> ALCUDIA T40N <b>TECNICAL CHARACTERISTICS:</b> IF = 0,25 g/10 min ; Densidad / Density = 932 Kg/m <sup>3</sup> <b>APPLICATION:</b> Tubos / Pipes Ø <= 250 mm	001 / 006162	11/11/2029
REPSOL MATERIALS, S.A // TRANSFORMADORA DE ETILENO, A.I.E.	TARRAGONA (España)	Black Polyethylene PE 40 compound intended for water supply for human consumption	PE 40	<b>TRADEMARK:</b> ALCUDIA T40N <b>TECNICAL CHARACTERISTICS:</b> IF = 0,25 g/10 min ; Densidad / Density = 932 Kg/m <sup>3</sup> <b>APPLICATION:</b> Tubos / Pipes Ø <= 250 mm	001 / 007537	26/09/2028
SABIC PETROCHEMICALS, B.V. // SABIC SAUDI KAYAN	JUBAIL INDUSTRIAL CITY (Arabia Saud)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> SABIC HDPE P 6006AD 10000 <b>TECNICAL CHARACTERISTICS:</b> IF = 0,23 g/10 min ; Densidad / Density = 957 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 007429	23/09/2027

SUPPLIER/FACTORY	FACTORY DIRECTION	PRODUCT	MATERIAL	REFERENCES (Certificate)	CERTIFICATE	EXPIRY DATE
SABIC POLYOLEFINE GmbH	GELSENKIRCHEN (Alemania)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> SABIC Vestolen A RELY 5924 R 10000 <b>TECNICAL CHARACTERISTICS:</b> IF = 0,22 g/10 min ; Densidad = 959 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared: Todos	001 / 006396	16/07/2030
SABIC POLYOLEFINE GmbH	GELSENKIRCHEN (Alemania)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> SABIC Vestolen A 6060 R black 10000 <b>TECNICAL CHARACTERISTICS:</b> IF = 0,30 g/10 min ; Densidad / Density = 958 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos / All	001 / 005996	20/12/2030
SABIC POLYOLEFINE GmbH	GELSENKIRCHEN (Alemania)	Black Polyethylene PE 100-RC compound intended for water supply for human consumption	PE 100-RC	<b>TRADEMARK:</b> SABIC VESTOLEN A RELY 5933RD 10000 <b>TECNICAL CHARACTERISTICS::</b> IF = 0,20 g/10 min ; Densidad / Density = 959 Kg/m <sup>3</sup> <b>APPLICATION::</b> Espesor de pared / Wallthickness: Todos / All	001/007798	26/04/2024
SAFRIPOL (PTY) LTD.	SASOLBURG (Sudáfrica)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> iMPACT 100 <b>TECNICAL CHARACTERISTICS:</b> IF = 0,30 g/10 min ; Densidad / Density = 957 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos /All	001 / 007435	26/09/2027
THAI POLYETHYLENE CO., LTD.	Muang District, Rayong (Thailand)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> SCGC HDPE H1000PCH <b>TECNICAL CHARACTERISTICS:</b> IF = 0,22 g/10 min ; Densidad / Density = 960 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos /All	001 / 007574	21/02/2029
THAI POLYETHYLENE CO., LTD.	Muang District, Rayong (Thailand)	Black Polyethylene PE 100 compound intended for water supply for human consumption	PE 100	<b>TRADEMARK:</b> SCGC HDPE H1000PC <b>TECNICAL CHARACTERISTICS:</b> IF = 0,25 g/10 min ; Densidad / Density = 959 Kg/m <sup>3</sup> <b>APPLICATION:</b> Espesor de pared / Wallthickness: Todos /All	001 / 005273	14/02/2028